

AMENDMENTS TO CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Canceled)

Claim 2 (Canceled)

Claim 3 (Currently amended) A concealed storage system comprising:

- a. an encased chamber below a floor of a structure having an opening in said floor above the chamber;
- b. a support frame fixed in the chamber;
- c. a liftable frame within the support frame; said liftable frame further comprising a top deck and a bottom deck;
- d. a mechanism for vertically raising and lowering the liftable frame through the opening in the floor, wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a motor driving a roller chain and sprocket assembly, at least one lifting screw shaft driven by the roller chain and sprocket assembly and one rolling ball screw nut affixed to the liftable frame for each lifting screw shaft wherein said rolling ball screw nut is driven in a vertical direction by the lifting screw shaft.

Claim 4 (Currently Amended) The concealed storage system of claim 3 wherein the top deck of the liftable frame further comprises an emergency exit hatch. ~~and wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a motor driving a roller chain and sprocket assembly, at least one~~

~~lifting screw shaft driven by the roller chain and sprocket assembly and one ball screw nut affixed to the liftable frame for each lifting screw shaft wherein said ball screw nut is driven in a vertical direction by the lifting screw shaft.~~

Claim 5 (Original) The concealed storage system of claim 3 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a primary drive shaft being rotated by the motor through a belt and pulley assembly, said primary drive shaft driving the roller chain and sprocket assembly.

Claim 6 (Original) The concealed storage system of claim 4 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a primary drive shaft being rotated by the motor through a belt and pulley assembly, said primary drive shaft driving the roller chain and sprocket assembly.

Claim 7 (Canceled)

Claim 8 (Canceled)

Claim 9 (Previously Presented) The concealed storage system of claim 4 wherein the top deck of the liftable frame is of size and shape to cover the opening in the floor when the liftable frame is vertically lowered fully in the support frame and wherein the bottom deck of the liftable frame is even with the floor when the liftable frame is vertically raised fully in the support frame, wherein the top deck of the liftable frame further comprises an access hatch for emergency entrance and exit, and wherein the liftable frame further comprises a front end, a rear end, a right side and a left side, and further comprises a safe with a locking door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the locking door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is

vertically raised fully in the support frame and the bottom deck is even with the floor, and further comprising a storage compartment with a hinged door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the hinged door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor.

Claim 10 (Canceled) ~~The concealed storage system of claim 9 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a motor driving a roller chain and sprocket assembly, at least one lifting screw shaft driven by the roller chain and sprocket assembly and one ball screw nut affixed to the liftable frame for each lifting screw shaft wherein said ball screw nut is driven in a vertical direction by the lifting screw shaft.~~

Claim 11 (Currently Amended) The concealed storage system of claim ~~[[10]]~~ 9 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a primary drive shaft being rotated by the motor through a belt and pulley assembly, said primary drive shaft driving the roller chain and sprocket assembly.

Claim 12 (Canceled)

Claim 13 (Canceled)

Claim 14 (Currently Amended) The concealed storage system of claim 9 wherein the bottom deck is of size and shape to receive and store rolling equipment from the floor when the bottom deck is even with the floor and ~~wherein the liftable frame further comprises a front end, a rear end, a right side and a left side, and further comprises a safe~~

~~with a locking door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the locking door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor, and further comprising a storage compartment with a hinged door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the hinged door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor.~~

Claim 15 (Cancelled)

Claim 16 (Currently Amended) The concealed storage system of claim[[15]] 14 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a primary drive shaft being rotated by the motor through a belt and pulley assembly, said primary drive shaft driving the roller chain and sprocket assembly.

Claim 17 (Canceled)

Claim 18 (Withdrawn) A method for creating a concealed storage system comprising the steps of:

- a. excavating and encasing a chamber below a floor in a structure with an opening in said floor;
- b. fabricating and fixing a support frame in the chamber;
- c. fabricating and installing a liftable frame with a top deck and a bottom deck to travel vertically in the support frame;

d. providing and installing a mechanism for vertically raising and lowering the liftable frame in the support frame through the opening in the floor.

Claim 19 (Withdrawn) The method of claim 18 further comprising the step of installing an access hatch in the top deck for emergency entrance and exit.

Claim 20 (Withdrawn) The method of claim 19 further comprising the step of fabricating and installing a liftable frame wherein the top deck of the liftable frame is of size and shape to cover the opening in the floor when the liftable frame is vertically lowered fully in the support frame and wherein the bottom deck of the liftable frame is even with the floor when the liftable frame is vertically raised fully in the support frame.

Claim 21 (Withdrawn) The method of claim 20 further comprising the step of fabricating and installing a liftable frame wherein the liftable frame comprises a front end, a rear end, a right side and a left side, and further comprises a safe with a locking door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the locking door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor, and further comprising a storage compartment with a hinged door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the hinged door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor.

Claim 22 (Withdrawn) The method of claim 20 wherein the bottom deck is of size and shape to receive and store rolling equipment from the floor when the bottom deck is even with the floor.

Claim 23 (Withdrawn) The method of claim 18 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a motor driving a roller chain and sprocket assembly; at least one lifting screw shaft driven by the roller chain and sprocket assembly and one ball screw nut affixed to the liftable frame for each lifting screw shaft wherein said ball screw nut is driven in a vertical direction by the lifting screw.

Claim 24 (Withdrawn) The method of claim 23 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises a primary drive shaft being rotated by the motor through a belt and pulley assembly, said primary drive shaft driving the roller chain and sprocket assembly.

Claim 25 (Withdrawn) The method of claim 18 wherein the mechanism for raising and lowering the liftable frame through the opening in the floor comprises at least one control switch within the liftable frame and at least one control switch external to the liftable frame.

Claim 26 (Withdrawn) A concealed storage system comprising:

- a. an encased chamber below a floor of a structure having an opening in said floor above the chamber;
- b. a support frame fixed in the chamber;
- c. a liftable frame within the support frame; said liftable frame further comprising a top deck and a bottom deck;

d. a mechanism for vertically raising and lowering the liftable frame through the opening in the floor, wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises at least one hydraulic cylinder and piston assembly activated by hydraulic fluid energized by at least one motor drive pump.

Claim 27 (Withdrawn) The concealed storage system of claim 26 wherein the top deck of the liftable frame is of size and shape to cover the opening in the floor when the liftable frame is vertically lowered fully in the support frame and wherein the bottom deck of the liftable frame is even with the floor when the liftable frame is vertically raised fully in the support frame, wherein the top deck of the liftable frame further comprises an access hatch for emergency entrance and exit, and wherein the liftable frame further comprises a front end, a rear end, a right side and a left side, and further comprises a safe with a locking door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the locking door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor, and further comprising a storage compartment with a hinged door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the hinged door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor.

Claim 28 (Withdrawn) A concealed storage system comprising:

- a an encased chamber below a floor of a structure having an opening in said floor above the chamber;
- b. a support frame fixed in the chamber;
- c. a liftable frame within the support frame; said liftable frame further comprising a top deck and a bottom deck;
- d. a mechanism for vertically raising and lowering the liftable frame through the opening in the floor, wherein the mechanism for raising and lowering the liftable frame through the opening in the floor further comprises at least one rack and pinion elevating system with a pinion driven by at least one motor driven electrically, hydraulically or pneumatically.

Claim 29 (Withdrawn) The concealed storage system of claim 28 wherein the top deck of the liftable frame is of size and shape to cover the opening in the floor when the liftable frame is vertically lowered fully in the support frame and wherein the bottom deck of the liftable frame is even with the floor when the liftable frame is vertically raised fully in the support frame, wherein the top deck of the liftable frame further comprises an access hatch for emergency entrance and exit, and wherein the liftable frame further comprises a front end, a rear end, a right side and a left side, and further comprises a safe with a locking door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the locking door facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor, and further comprising a storage compartment with a hinged door mounted between the bottom deck and the upper deck at the rear end of the liftable frame with the hinged door



facing the rear end of the liftable frame and accessible from the floor at the rear end of the liftable frame when the liftable frame is vertically raised fully in the support frame and the bottom deck is even with the floor.